JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 373 (1989)

AUTHOR INDEX

Abel, E.W., (373) 401
Al-Allaf, T.A.K., (373) 29
Antebi, S., (373) 235
Antoni, F., (373) 343

Bartók, M., (373) 365
Bartsch, R., (373) C17
Beckermann, N., (373) 37
Benzi, P., (373) 289
Billeb, G., (373) 11
Bitsi, G., (373) 343
Brauer, H., (373) 11
Budzichowski, T.A., (373) 153
Bursey, M.M., (373) 143

Chakrabarty, D., (373) 129
Chan, H.S.O., (373) 221
Chen, W., (373) 185
Cheng, M.-H., (373) 119
Chiusoli, G.P., (373) 377, 385
Claver, C., (373) 269
Costa, M., (373) 377, 385
Crocq, V., (373) 85
Csonka, G., (373) 49, 57

Daran, J.-C., (373) 85
Dickbreder, R., (373) 301

Echavarren, A.M., (373) 249
Ewing, P., (373) 259

Fahim, M., (373) 193
Fang, H., (373) 77
Farrugia, L.J., (373) 259
Feher, F.J., (373) 153
Filippou, A.C., (373) 325

Gabrielli, R., (373) 289
Gautheron, B., (373) 193
Gera, L., (373) 365
Goh, L.Y., (373) 71
Goldschmidt, Z., (373) 235
Göndös, G., (373) 365
Gottlieb, H.E., (373) 235
Grand, J.-L., (373) C1
Grünleitner, W., (373) 325
Guhl, D., (373) C27
Guyot, B., (373) 279

Hänssgen, D., (373) 37
Hayashi, Y., (373) C21
Heinicke, J., (373) 49, 57
Herdtweck, E., (373) 99, 325
Hezroni, D., (373) 235
Hitchcock, P.B., (373) C17
Hoberg, H., (373) C27
Hollands, R.E., (373) 229
Hong, P., (373) 133
Hor, T.S.A., (373) 221, 319
Huang, C.Y., (373) 353

Ichida, H., (373) C8
Isobe, K., (373) C21

Jeannin, Y., (373) 85
Jenner, G., (373) 343
Jin, X., (373) 185
Jutzi, P., (373) 301

Kobs, U., (373) 29
Köhricht, K., (373) 307
Kron, J., (373) 203
Kubiak, C.P., (373) 391
Kumar Das, V.G., (373) 21

Lahoz, F.J., (373) 269
Lahuerta, P., (373) C5
Lappert, M.F., (373) 107
Le Grand, J.-L., (373) C1
Lemke, F.R., (373) 391
Leong, Y.-P., (373) 221
Li, B., (373) 185
Li, G., (373) 185
Lindsell, W.E., (373) C1
Lis, T., (373) 63
Liu, C.S., (373) 353
Liu, R.-S., (373) 119
Lixandru, T., (373) 245
López, J., (373) 249
Lu, X., (373) 77

Mak, T.C.W., (373) 21, 71
Masdeu, A.M., (373) 269
Maslov, S., (373) 11
Mathur, P., (373) 129
Matsuura, Y., (373) C8
Mazilu, I., (373) 245
McCullough, K.J., (373) C1
McGeary, M.J., (373) 107
Mesnard, D., (373) 1
Meyerhoffer, W.J., (373) 143
Miginiac, L., (373) 1, 279
Miyamoto, T.K., (373) C8
Müller, C., (373) 165

Nagy, A.G., (373) 229
Neumann, W.P., (373) 11, 29
Ng, S.W., (373) 21
Ni, Z., (373) 77
Nixon, J.F., (373) C17
Noheda, P., (373) 249
Nyulászi, L., (373) 49, 57

Okuda, J., (373) 99
Okude, K., (373) C8
Operti, L., (373) 289
Orr, J.C., (373) 365
Orrell, K.G., (373) 401
Osborne, A.G., (373) 229
Ozawa, Y., (373) C21

Parish, R.V., (373) 107
Payá, J., (373) C5
Pellinghelli, M.A., (373) C5
Peris, E., (373) C5
Phang, L.-T., (373) 319
Pivetti, F., (373) 377, 385
Plou, F.J., (373) 269
Pornet, J., (373) 279
Puff, H., (373) 37, 173

Qian, Y., (373) 185

Réffy, J., (373) 49, 57
Reuter, H., (373) 173
Roloff, A., (373) 37

Romero, A., (373) 249
Ruiz, A., (373) 269

Saballs, T., (373) 269
Santos, A., (373) 249
Schleiffer, E., (373) 343
Schubert, U., (373) 165, 203
Schuh, W., (373) 37
Schumann, H., (373) 307
Scutaru, D., (373) 245
Simionescu, C., (373) 245
Sobota, P., (373) 63
Speranza, M., (373) 289
Stephenson, D., (373) 401

Tainturier, G., (373) 193
Tan, M.-M., (373) 221
Tátaru, L., (373) 245
Tiripicchio, A., (373) C5

Utko, J., (373) 63

Vaglio, G.A., (373) 289
Vegas, A., (373) 249
Veszprémi, T., (373) 49, 57
Viñas, J., (373) 269
Volpe, P., (373) 289

Wang, S.-L., (373) 119
Wei, C., (373) 21
Wong, R.C.S., (373) 71
Wu, Y.-J., (373) 119

Yamazaki, H., (373) 133

Zhang, C., (373) C21

Journal of Organometallic Chemistry, 373 (1989) C37–C42
Elsevier Sequoia S.A., Lausanne – Printed in The Netherlands

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 373 (1989)

SUBJECT INDEX

Aluminium

Tertiary amines with secondary doubly unsaturated groups, regiospecific synthesis of (D. Mesnard, L. Miginiac), (373) 1

Arsenic

Carbonyldinitrosylorganometallic arsine-iron and dicarbonylnitrosylorganometallic arsine-cobalt complexes, formation and spectral characterisation of (H. Schumann und K.H. Köhricht), (373) 307

Heterocyclic compounds containing a P=C or As=C bond, investigation by UV photoelectron spectroscopy of (L. Nyulászi, G. Csonka, J. Réffy, T. Veszprémi, J. Heinicke), (373) 49

3-Substituted benzazaphospholes and benzazarsoles, investigation by UV-photoelectron spectroscopy of (L. Nyulászi, G. Csonka, J. Réffy, T. Veszprémi, J. Heinicke), (373) 57

Chromium

Alkoxy- or alkylthio-substituted silylcarbene complexes, $(CO)_5MC(XEt)SiR_3$ (M = Cr, Mo, W; X = O, S) and ketene derivatives, $R_3Si(EtX)C{=}C{=}O$, synthesis of (J. Kron, U. Schubert), (373) 203

1,1′-Bis(diphenylphosphino)ferrocene, a bridging, chelating and unidentate ligand in the synthesis of $M_2(CO)_{10}(\mu\text{-P–P})$, $M(CO)_4(\eta^2\text{-P–P})$ and $M(CO)_5(\eta^1\text{-P–P})$ (M = Cr, Mo, W; P–P = $Fe(C_5H_4PPh_2)_2$) (T.S.A. Hor, L.-T. Phang), (373) 319

Pentacarbonylchromium fragment, linkage to a $(\mu\text{-}\eta^2\text{-}P_2)Cr_2$ core of; crystal structure of $Cp_2Cr_2(CO)_4(\mu\text{-}\eta^2\text{-}P_2)[Cr(CO)_5)]$ (L.Y. Goh, R.C.S. Wong, T.C.W. Mak), (373) 71

Cobalt

Carbonyldinitrosylorganometallic arsine-iron and dicarbonylnitrosylorganometallic arsine-cobalt complexes, formation and spectral characterisation of (H. Schumann und K.H. Köhricht), (373) 307

Cobaltacyclopentadiene complexes, reactions with organic azides directed toward synthesis of highly substituted pyrroles of (P. Hong, H. Yamazaki), (373) 133

Erbium

2,2′-Bis(diphenylphosphino)biphenyl, synthesis of (T.K. Miyamoto, Y. Matsuura, K. Okude, H. Ichida, Y. Sasaki), (373) C8

Germanium

Carbonyldinitrosylorganometallic arsine-iron and dicarbonylnitrosylorganometallic arsine-cobalt complexes, formation and spectral characterisation of (H. Schumann und K.H. Köhricht), (373) 307

Dimethylgermylenes, thermal and photolytical synthesis and reactions with alkynyl, propargyl and allenyl halides of (G. Billeb, H. Brauer, S. Maslov, W.P. Neumann), (373) 11

1,3-Di-t-butylcyclopentadienyl as π-ligand in complex chemistry of germanium, tin and lead (P. Jutzi, R. Dickbreder), (373) 301

Monogermane gas phase ion-molecule reactions with carbon oxides and ethylene; formation of Ge–C bonds (P. Benzi, L. Operti, G.A. Vaglio, P. Volpe, M. Speranza, R. Gabrielli), (373) 289

Trimethyl-group 14 cations, distinguishing 1,2-cyclopentanediol isomers via gas-phase reactions with (W.J. Meyerhoffer, M.M. Bursey), (373) 143

Iridium

Diolefin- and carbonyl-rhodium(I) and -iridium(I) complexes with phosphine sulphide ligands; crystal structure of $[Rh(COD)(Et_2P(S)(S)PEt_2)]ClO_4$ (C. Claver, A. Ruiz, A.M. Masdeu, J. Viñas, T. Saballs, F.J. Lahoz, F.J. Plou), (373) 269

Iron

1,1′-Bis[1-carboxymethyl)thioalkyl]ferrocenes and 1,1′-bis[1-(carboxymethyl)thio-1-phenylmethyl]ferrocene, synthesis and characterization of (D. Scutaru, I. Mazilu, L. Tataru, T. Lixandru, C. Simionescu), (373) 245

1,1′-Bis(diphenylphosphino)ferrocene, a bridging, chelating and unidentate ligand in the synthesis of $M_2(CO)_{10}(\mu\text{-P-P})$, $M(CO)_4(\eta^2\text{-P-P})$ and $M(CO)_5(\eta^1\text{-P-P})$ (M = Cr, Mo, W; P–P = $Fe(C_5H_4PPh_2)_2$) (T.S.A. Hor, L.-T. Phang), (373) 319

Carbonyldinitrosylorganometallic arsine-iron and dicarbonylnitrosylorganometallic arsine-cobalt complexes, formation and spectral characterisation of (H. Schumann und K.H. Köhricht), (373) 307

Differa(μ-alkylidene)carbene complex, C–C bond formation with isocyanate RNCX (R = Et, Ph; X = O, S) of; X-ray structure of $[Fe_2(CO)_6\{\mu,\eta^2\text{-MeCC(NEt)}_2\text{CONR}\}]$, (V. Crocq, J.-C. Daran, Y. Jeannin), (373) 85

1,3-Diselena- and 1,3-dithia-[3]ferrocenophane derivatives, Mössbauer and electrochemical studies on (A.G. Osborne, R.E. Hollands, A.G. Nagy), (373) 229

$[FeC_5H_5(CO)_2\{M(X)R_2\}]$ ($R = CHSiMe_3)_2$, M = Sn, Pb; X = H, F, Cl, Br, I), synthesis and characterisation of (M.F. Lappert, M.J. McGeary, R.V. Parish), (373) 107

(Methyl 2-butenoate)iron complexes, synthesis, characterization and structure of (M. Cheng, Y.-J. Wu, S.-L. Wang, R. Liu), (373) 119

1,1′,3,3′-Tetrakis(trimethylsilyl)ferrocene, crystal structure and dynamic solution behaviour of (J. Okuda, E. Herdtweck), (373) 99

Tricarbonyl(η^4-heptafulvene)iron complexes, substituent effects on the 1,3-haptotropic rearrangement of (Z. Goldschmidt, D. Hezroni, H.E. Gottlieb, S. Antebi), (373) 235

Lead

1,3-Di-t-butylcyclopentadienyl as π-ligand in complex chemistry of germanium, tin and lead (P. Jutzi, R. Dickbreder), (373) 301

$[FeC_5H_5(CO)_2\{M(X)R_2\}]$ ($R = CHSiMe_3)_2$, M = Sn, Pb; X = H, F, Cl, Br, I), synthesis and characterisation of (M.F. Lappert, M.J. McGeary, R.V. Parish), (373) 107

Lithium

Tertiary amines with secondary doubly unsaturated groups, regiospecific synthesis of (D. Mesnard, L. Miginiac), (373) 1

Magnesium

Tertiary amines with secondary doubly unsaturated groups, regiospecific synthesis of (D. Mesnard, L. Miginiac), (373) 1

Metallocenes

1,1′-Bis[1-carboxymethyl)thioalkyl]ferrocenes and 1,1′-bis[1-(carboxymethyl)thio-1-phenylmethyl]ferrocene, synthesis and characterization of (D. Scutaru, I. Mazilu, L. Tataru, T. Lixandru, C. Simionescu), (373) 245

1,1′-Bis(diphenylphosphino)ferrocene, a bridging, chelating and unidentate ligand in the synthesis of $M_2(CO)_{10}(\mu\text{-P-P})$, $M(CO)_4(\eta^2\text{-P-P})$ and $M(CO)_5(\eta^1\text{-P-P})$ (M = Cr, Mo, W; P–P = $Fe(C_5H_4PPh_2)_2$) (T.S.A. Hor, L.-T. Phang), (373) 319

1,3-Diselena- and 1,3-dithia-[3]ferrocenophane derivatives, Mössbauer and electrochemical studies on (A.G. Osborne, R.E. Hollands, A.G. Nagy), (373) 229

$[Ni(\eta^5\text{-}P_3C_2R_2)(\eta^3\text{-}P_2C_3R_3)]$ ($R = Bu^t$), synthesis, and crystal and molecular structure of (R. Bartsch, P.B. Hitchcock, J.F. Nixon), (373) C17

1,1′,3,3′-Tetrakis(trimethylsilyl)ferrocene, crystal structure and dynamic solution behaviour of (J. Okuda, E. Herdtweck), (373) 99

Zirconocene and hafnocene dihydrides $[(\eta^5\text{-}RC_5H_4)_2M(H)(\mu\text{-}H)]_2$ (M = Zr, Hf), reactions with sulphur, selenium and tellurium of (G. Tainturier, M. Fahim, B. Gautheron), (373) 193

Molybdenum

Alkoxy- or alkylthio-substituted silylcarbene complexes, $(CO)_5MC(XEt)SiR_3$ (M = Cr, Mo, W; X = O, S) and ketene derivatives, $R_3Si(EtX)C{=}C{=}O$, synthesis of (J. Kron, U. Schubert), (373) 203

1,1′-Bis(diphenylphosphino)ferrocene, a bridging, chelating and unidentate ligand in the synthesis of $M_2(CO)_{10}(\mu\text{-}P\text{-}P)$, $M(CO)_4(\eta^2\text{-}P\text{-}P)$ and $M(CO)_5(\eta^1\text{-}P\text{-}P)$ (M = Cr, Mo, W; P–P = $Fe(C_5H_4PPh_2)_2$) (T.S.A. Hor, L.-T. Phang), (373) 319

Cyclopentadienyl-substituted isonitril-complexes of molybdenum(IV); synthesis and structure of (A.C. Filippou, W. Grünleitner, E. Herdtweck), (373) 325

Molybdenum complex as catalyst for C=C bond formation one-pot reaction (X. Lu, H. Fang, Z. Ni), (373) 77

Transition metal oxide clusters as catalysts in oxidation of cyclohexene with t-butyl hydroperoxide (C. Zhang, Y. Ozawa, Y. Hayashi, K. Isobe), (373) C21

Nickel

1,1-Difluoroethenenickel-ligand complexes, preparation and structure of (H. Hoberg, D. Guhl), (373) C27

$[Ni(\eta^5\text{-}P_3C_2R_2)(\eta^3\text{-}P_2C_3R_3)]$ (R = Bu^t), synthesis, and crystal and molecular structure of (R. Bartsch, P.B. Hitchcock, J.F. Nixon), (373) C17

Osmium

$[HOs_3(CO)_{10}(\mu\text{-}TeC_6H_4OMe)]$, synthesis, characterisation and conversion into $[Os_3Te_2(CO)_9]$ of (P. Mathur, D. Chakrabarty), (373) 129

$Os_3Pt(\mu\text{-}H)_2(CO)_{10}(PCy_3)$, reaction with 1,1,3,3-tetramethyl-2-thiocarbonylcyclohexane of; X-ray crystal structure of $Os_3Pt(\mu_3\text{-}S)_2(CO)_9(PCy_3)(\eta\text{-}C{=}C_6H_6Me_4)$ (P. Ewing, L.J. Farrugia), (373) 259

Palladium

Bis-silyl-palladium complexes, $(R_3'P)_2Pd(SiR_3)_2$, influence of substituents at silicon on stability and decomposition products of (U. Schubert, C. Müller), (373) 165

Photogenerated $[Pd(CNMe)_3]^{\cdot+}$ radicals, activation of unsaturated alkyl chlorides by; formation of η^3-allyl and "oxaallyl" palladium complexes (F.R. Lemke, C.P. Kubiak), (373) 391

Trimethylplatinum(IV) mixed halide methylthio bridged tetramers; syntheses and fluxional properties of (E.W. Abel, K.G. Orrell, D. Stephenson), (373) 401

Phosphorus

2,2′-Bis(diphenylphosphino)biphenyl, synthesis of (T.K. Miyamoto, Y. Matsuura, K. Okude, H. Ichida, Y. Sasaki), (373) C8

1,1′-Bis(diphenylphosphino)ferrocene, a bridging, chelating and unidentate ligand in the synthesis of $M_2(CO)_{10}(\mu\text{-}P\text{-}P)$, $M(CO)_4(\eta^2\text{-}P\text{-}P)$ and $M(CO)_5(\eta^1\text{-}P\text{-}P)$ (M = Cr, Mo, W; P–P = $Fe(C_5H_4PPh_2)_2$) (T.S.A. Hor, L.-T. Phang), (373) 319

Bis-silyl-palladium complexes, $(R_3'P)_2Pd(SiR_3)_2$, influence of substituents at silicon on stability and decomposition products of (U. Schubert, C. Müller), (373) 165

1,1-Difluoroethenenickel-ligand complexes, preparation and structure of (H. Hoberg, D. Guhl), (373) C27

Diolefin- and carbonyl-rhodium(I) and -iridium(I) complexes with phosphine sulphide ligands; crystal structure of $[Rh(COD)(Et_2P(S)(S)PEt_2)]ClO_4$ (C. Claver, A. Ruiz, A.M. Masdeu, J. Viñas, T. Saballs, F.J. Lahoz, F.J. Plou), (373) 269

Heterocyclic compounds containing a P=C or As=C bond, investigation by UV photoelectron spectroscopy of (L. Nyulászi, G. Csonka, J. Réffy, T. Veszprémi, J. Heinicke), (373) 49

$[Ni(\eta^5\text{-}P_3C_2R_2)(\eta^3\text{-}P_2C_3R_3)]$ (R = Bu^t), synthesis, and crystal and molecular structure of (R. Bartsch, P.B. Hitchcock, J.F. Nixon), (373) C17

$Rh_2(O_2CCH_3)_3[(C_6H_4)PPh_2](HO_2CCH_3)_2$, synthesis, crystal structure and reactivity of (P. Lahuerta, J. Payá, E. Peris, M.A. Pellinghelli, A. Tiripicchio), (373) C5

[$RhRu_3(\mu\text{-}H)_2(\mu\text{-}CO)(CO)_9(\eta^5\text{-}C_5H_5)$] cleavage with elimination of benzene on reaction with $(Ph_2PCH_2)_3CMe$ of; structural characterisation and non-rigidity of [$Ru_3(\mu\text{-}H)\{\mu\text{-}PPhCH_2(Ph_2PCH_2)_2CMe\}(CO)_8$] (J.-L. Le Grand, W.E. Lindsell, K.J. McCullough), (373) C1

3-Substituted benzazaphospholes and benzazarsoles, investigation by UV-photoelectron spectroscopy of (L. Nyulászi, G. Csonka, J. Réffy, T. Veszprémi, J. Heinicke), (373) 57

Platinum

$Os_3Pt(\mu\text{-}H)_2(CO)_{10}(PCy_3)$, reaction with 1,1,3,3-tetramethyl-2-thiocarbonylcyclohexane of; X-ray crystal structure of $Os_3Pt(\mu_3\text{-}S)_2(CO)_9(PCy_3)$ (η-C=$C_6H_6Me_4$) (P. Ewing, L.J. Farrugia), (373) 259

Rhodium

N-Allylamides of organic acids, rhodium-catalysed coupling of (G.P. Chiusoli, M. Costa, F. Pivetti), (373) 385

Chiral hydrosilanerhodium-(+)- and -(−)-diop complexes as catalysts for asymmetric hydrogenation of steroid ketones (G. Göndös, L. Gera, M. Bartók, J.C. Orr), (373) 365

Diolefin- and carbonyl-rhodium(I) and -iridium(I) complexes with phosphine sulphide ligands; crystal structure of $[Rh(COD)(Et_2P(S)(S)PEt_2)]ClO_4$ (C. Claver, A. Ruiz, A.M. Masdeu, J. Viñas, T. Saballs, F.J. Lahoz, F.J. Plou), (373) 269

Photogenerated $[Pd(CNMe)_3]^{\cdot+}$ radicals, activation of unsaturated alkyl chlorides by; formation of η^3-allyl and "oxaallyl" palladium complexes (F.R. Lemke, C.P. Kubiak), (373) 391

Rhodium-catalysed C–C coupling reactions of *N*-allylamides of organic acids (G.P. Chiusoli, M. Costa, F. Pivetti), (373) 377

[$RhRu_3(\mu\text{-}H)_2(\mu\text{-}CO)(CO)_9(\eta^5\text{-}C_5H_5)$] cleavage with elimination of benzene on reaction with $(Ph_2PCH_2)_3CMe$ of; structural characterisation and non-rigidity of [$Ru_3(\mu\text{-}H)\{\mu\text{-}PPhCH_2(Ph_2PCH_2)_2CMe\}(CO)_8$] (J.-L. Le Grand, W.E. Lindsell, K.J. McCullough), (373) C1

Transition metal oxide clusters as catalysts in oxidation of cyclohexene with t-butyl hydroperoxide (C. Zhang, Y. Ozawa, Y. Hayashi, K. Isobe), (373) C21

Ruthenium

N-Alkylation of amines, as homogeneous catalysis system for synthesis of cyclic mono- and di-amines (G. Bitsi, E. Schleiffer, F. Antoni, G. Jenner), (373) 343

$Rh_2(O_2CCH_3)_3[(C_6H_4)PPh_2](HO_2CCH_3)_2$, synthesis, crystal structure and reactivity of (P. Lahuerta, J. Payá, E. Peris, M.A. Pellinghelli, A. Tiripicchio), (373) C5

[$RhRu_3(\mu\text{-}H)_2(\mu\text{-}CO)(CO)_9(\eta^5\text{-}C_5H_5)$] cleavage with elimination of benzene on reaction with $(Ph_2PCH_2)_3CMe$ of; structural characterisation and non-rigidity of [$Ru_3(\mu\text{-}H)\{\mu\text{-}PPhCH_2(Ph_2PCH_2)_2CMe\}(CO)_8$] (J.-L. Le Grand, W.E. Lindsell, K.J. McCullough), (373) C1

[$Ru(CO)H(MeCN)_2(PPh_3)_2$]A (A = ClO_4, PF_6), reactions with alkynes of; crystal structure of $[Ru(CO)(MeOOC{=}CHCOOMe)(MeCN)_2(PPh_3)_2]ClO_4$ (J. López, A. Romero, A. Santos, A. Vegas, A.M. Echavarren, P. Noheda), (373) 249

Tetrafluorodisilacyclobutene, cycloaddition reactions with 1,3-butadienes mediated by $Ru_3(CO)_{12}$ of (C.Y. Huang, C.S. Liu), (373) 353

Selenium

1,3-Diselena- and 1,3-dithia-[3]ferrocenophane derivatives, Mössbauer and electrochemical studies on (A.G. Osborne, R.E. Hollands, A.G. Nagy), (373) 229

Zirconocene and hafnocene dihydrides $[(\eta^5\text{-}RC_5H_4)_2M(H)(\mu\text{-}H)]_2$ (M = Zr, Hf), reactions with sulphur, selenium and tellurium of (G. Tainturier, M. Fahim, B. Gautheron), (373) 193

Silicon

Alkoxy- or alkylthio-substituted silylcarbene complexes, $(CO)_5MC(XEt)SiR_3$ (M = Cr, Mo, W; X = O, S) and ketene derivatives, $R_3Si(EtX)C{=}C{=}O$, synthesis of (J. Kron, U. Schubert), (373) 203

2-Alkyl-2,3,6,7-tetrahydrooxepines and -oxocins, synthesis from allylsilanes of (B. Guyot, J. Pornet, L. Migniniac), (373) 279

Aryl-containing silsesquioxanes, polyhedral oligosilsesquioxanes via catalytic hydrogenation of (F.J. Feher, T.A. Budzichowski), (373) 153

Bis-silyl-palladium complexes, $(R_3'P)_2Pd(SiR_3)_2$, influence of substituents at silicon on stability and decomposition products of (U. Schubert, C. Müller), (373) 165

Carbonyldinitrosylorganometallic arsine-iron and dicarbonylnitrosylorganometallic arsine-cobalt complexes, formation and spectral characterisation of (H. Schumann und K.H. Köhricht), (373) 307

Chiral hydrosilanerhodium-(+)- and -(−)-diop complexes as catalysts for asymmetric hydrogenation of steroid ketones (G. Göndös, L. Gera, M. Bartók, J.C. Orr), (373) 365

$[FeC_5H_5(CO)_2\{M(X)R_2\}]$ $(R = CHSiMe_3)_2$, M = Sn, Pb; X = H, F, Cl, Br, I), synthesis and characterisation of (M.F. Lappert, M.J. McGeary, R.V. Parish), (373) 107

Tetrafluorodisilacyclobutene, cycloaddition reactions with 1,3-butadienes mediated by $Ru_3(CO)_{12}$ of (C.Y. Huang, C.S. Liu), (373) 353

1,1′,3,3′-Tetrakis(trimethylsilyl)ferrocene, crystal structure and dynamic solution behaviour of (J. Okuda, E. Herdtweck), (373) 99

Trimethyl-group 14 cations, distinguishing 1,2-cyclopentanediol isomers via gas-phase reactions with (W.J. Meyerhoffer, M.M. Bursey), (373) 143

Sulphur

1,1′-Bis[1-carboxymethyl)thioalkyl]ferrocenes and 1,1′-bis[1-(carboxymethyl)thio-1-phenylmethyl]ferrocene, synthesis and characterization of (D. Scutaru, I. Mazilu, L. Tataru, T. Lixandru, C. Simionescu), (373) 245

Diolefin- and carbonyl-rhodium(I) and -iridium(I) complexes with phosphine sulphide ligands; crystal structure of $[Rh(COD)(Et_2P(S)(S)PEt_2)]ClO_4$ (C. Claver, A. Ruiz, A.M. Masdeu, J. Viñas, T. Saballs, F.J. Lahoz, F.J. Plou), (373) 269

1,3-Diselena- and 1,3-dithia-[3]ferrocenophane derivatives, Mössbauer and electrochemical studies on (A.G. Osborne, R.E. Hollands, A.G. Nagy), (373) 229

Ethanol adduct of *N*-triphenylstannyl-1,2-benzisothiazol-3(2*H*)-one 1,1-dioxide, crystal structure of (S.W. Ng, C. Wei, V.T. Kumar Das, T.C.W. Mak), (373) 21

$Os_3Pt(\mu\text{-}H)_2(CO)_{10}(PCy_3)$, reaction with 1,1,3,3-tetramethyl-2-thiocarbonylcyclohexane of; X-ray crystal structure of $Os_3Pt(\mu_3\text{-}S)_2(CO)_9(PCy_3)$ $(\eta\text{-}C{=}C_6H_6Me_4)$ (P. Ewing, L.J. Farrugia), (373) 259

Trimethylplatinum(IV) mixed halide methylthio bridged tetramers; syntheses and fluxional properties of (E.W. Abel, K.G. Orrell, D. Stephenson), (373) 401

Zirconocene and hafnocene dihydrides $[(\eta^5\text{-}RC_5H_4)_2M(H)(\mu\text{-}H)]_2$ (M = Zr, Hf), reactions with sulphur, selenium and tellurium of (G. Tainturier, M. Fahim, B. Gautheron), (373) 193

Tellurium

$[HOs_3(CO)_{10}(\mu\text{-}TeC_6H_4OMe)]$, synthesis, characterisation and conversion into $[Os_3Te_2(CO)_9]$ of (P. Mathur, D. Chakrabarty), (373) 129

Zirconocene and hafnocene dihydrides $[(\eta^5\text{-}RC_5H_4)_2M(H)(\mu\text{-}H)]_2$ (M = Zr, Hf), reactions with sulphur, selenium and tellurium of (G. Tainturier, M. Fahim, B. Gautheron), (373) 193

Tin

Carbonyldinitrosylorganometallic arsine-iron and dicarbonylnitrosylorganometallic arsine-cobalt complexes, formation and spectral characterisation of (H. Schumann und K.H. Köhricht), (373) 307

$[(i\text{-}C_3H_8Sn)_{12}O_{14}(OH)_6]Cl_2 \cdot L$ (L = $3H_2O$, 2DMF and $4H_2O \cdot 4DMPU$), isolation and X-ray structural analysis of (H. Puff, H. Reuter), (373) 173

Diorganotin-nitrogen cyclic compounds, structure of (H. Puff, D. Hänssgen, N. Beckermann, A. Roloff, W. Schuh), (373) 37

1,3-Di-t-butylcyclopentadienyl as π-ligand in complex chemistry of germanium, tin and lead (P. Jutzi, R. Dickbreder), (373) 301

Ethanol adduct of *N*-triphenylstannyl-1,2-benzisothiazol-3(2*H*)-one 1,1-dioxide, crystal structure of (S.W. Ng, C. Wei, V.T. Kumar Das, T.C.W. Mak), (373) 21

$[FeC_5H_5(CO)_2\{M(X)R_2\}]$ $(R = CHSiMe_3)_2$, M = Sn, Pb; X = H, F, Cl, Br, I), synthesis and characterisation of (M.F. Lappert, M.J. McGeary, R.V. Parish), (373) 107

Organotin and nitrotin derivatives, complex formation from (T.A.K. Al-Allaf, U. Kobs, W.P. Neumann), (373) 29

Trimethyl-group 14 cations, distinguishing 1,2-cyclopentanediol isomers via gas-phase reactions with (W.J. Meyerhoffer, M.M. Bursey), (373) 143

Titanium

Di-μ-*m*-diethylphthalateoctachlorodititanium(IV), crystal structure and properties of (J. Utko, P. Sobota, T. Lis), (373) 63

Tetrahydrofurfurylcyclopentadienyltitanium trichloride and its derivatives, synthesis and crystal structure of (Y. Qian, W. Chen, G. Li, B. Li, J. Xianglin), (373) 185

Tungsten

Alkoxy- or alkylthio-substituted silylcarbene complexes, $(CO)_5MC(XEt)SiR_3$ (M = Cr, Mo, W; X = O, S) and ketene derivatives, $R_3Si(EtX)C{=}C{=}O$, synthesis of (J. Kron, U. Schubert), (373) 203

1,1′-Bis(diphenylphosphino)ferrocene, a bridging, chelating and unidentate ligand in the synthesis of $M_2(CO)_{10}(\mu\text{-P-P})$, $M(CO)_4(\eta^2\text{-P-P})$ and $M(CO)_5(\eta^1\text{-P-P})$ (M = Cr, Mo, W; P–P = $Fe(C_5H_4PPh_2)_2$) (T.S.A. Hor, L.-T. Phang), (373) 319

Oxidative decarbonylation of tungsten hexacarbonyl, thermogravimetric and quantitative studies of (T.S.A. Hor, H.S.O. Chan, Y.-P. Leong, M. Tan), (373) 221

Vanadium

Transition metal oxide clusters as catalysts in oxidation of cyclohexene with t-butyl hydroperoxide (C. Zhang, Y. Ozawa, Y. Hayashi, K. Isobe), (373) C21

Zinc

Tertiary amines with secondary doubly unsaturated groups, regiospecific synthesis of (D. Mesnard, L. Miginiac), (373) 1

Zirconium

Zirconocene and hafnocene dihydrides $[(\eta^5\text{-}RC_5H_4)_2M(H)(\mu\text{-}H)]_2$ (M = Zr, Hf), reactions with sulphur, selenium and tellurium of (G. Tainturier, M. Fahim, B. Gautheron), (373) 193

Book reviews

Advances in physical organic chemistry, Volume 24; edited by D. Bethell (C. Eaborn), (373) C32

Correlation analysis of chemical data; by O. Exner (C. Eaborn), (373) C32

Gmelin handbook of inorganic chemistry, Be — organoberyllium compounds. Part 1 (C. Eaborn), (373) C33

Gmelin handbook of inorganic chemistry, 8th edition, Th — thorium, Supplement Volume C7: Compounds with carbon: carbonates, thiocyanates, alkoxides, carboxylates (K.R. Seddon), (373) C13

Gmelin handbook of inorganic chemistry, 8th edition, Th — thorium, Supplement Volume D1: Properties of thorium ions in solutions (K.R. Seddon), (373) C14

Inorganic and organometallic polymers; edited by M. Zeldin (J.D. Smith), (373) C31